INSTRUCTIONS FOR THE:

NECK DISABILITY INDEX (NDI)

This questionnaire has been designed to give your therapist information as to how your neck pain has affected your ability to manage in every day life. Please <u>answer every question</u>. For each question, place a check mark ($\sqrt{\ }$) by the statement that <u>BEST</u> describes your condition today. We realize you may feel that two of the statements may describe your condition, but please mark <u>only the line which most closely describes your current condition</u>.

EXAMPLE:

Pain Intensity

_I have no pain at the moment.
 The pain is very mild at the moment.
The pain is moderate at the moment.
The pain is fairly severe at the moment.
The pain is very severe at the moment.
The pain is the worst imaginable at the moment.

NECK DISABILITY INDEX

Name:	Section 1: To be completed by patient								
Section 2: To be completed by patient This questionnaire has been designed to give your therapist information as to how your neck pain has affected your ability to manage in every day life. Please answer every question by placing a mark on the line that best describes your condition today. We realize you may feel that two of the statements may describe your condition, but please mark only the line which most closely describes your current condition. Pain Intensity I have no pain at the moment. The pain is moderate at the moment. The pain is in grilly severe at the moment. The pain is yet yet at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is fairly severe at the moment. The pain is the worst imaginable at the moment. Personal Care (Washing, Dressing, etc.) I do not have to change the way I wash and dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and cress without help. Lifting I can lift heavy weights without increased pain. I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. I can lift heavy weights but it causes increased pain. I can lift only very light weights. I can read as much as I want to with no pain in my neck. I can read as much as I want to with no pain in my neck. I can read as much as I want to with no pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to with moderate pain in my neck. I can head as much as I want to with moderate pain in my neck. I can head as much as I want to with moderate pain in my neck. I can	Name:	Age:	Date:						
This questionnaire has been designed to give your therapist information as to how your neck pain has affected your ability to manage in every day life. Please answer every question by placing a mark on the line that best describes your condition today. We realize you may feel that two of the statements may describe your condition, but please mark only the line which most closely describes your current condition. Pain Intensity I have no pain at the moment. The pain is very mild at the moment. The pain is fairly severe at the moment. The pain is fairly severe at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. Personal Care (Washing, Dressing, etc.) I do not have to change the way I wash and dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. Lifting I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all because of severe pain in my	Occupation:	Number of days	of neck pain:	(this episode)					
ability to manage in every day life. Please answer every question by placing a mark on the line that best describes your condition today. We realize you may feel that two of the statements may describe your condition, but please mark only the line which most closely describes your current condition. Pain Intensity I have no pain at the moment. The pain is very mild at the moment. The pain is very sever at the moment. The pain is fairly sever at the moment. The pain is the worst imaginable at the moment. The pain is the very severe at the moment. The pain is the very severe at the moment. The pain is the worst imaginable at the moment. Personal Care (Washing, Dressing, etc.) I do not have to change the way I wash and dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. Lifting I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all the new of the moderate headaches which come infrequen	Section 2: To be completed by patient								
I have no pain at the moment. The pain is very mild at the moment. The pain is fairly severe at the moment. The pain is fairly severe at the moment. The pain is fairly severe at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. I do not have to change the way I wash and dress myself to avoid pain. I do not normally change the way I wash or dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. I can lift heavy weights without increased pain. I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. I can lard as much as I want to with no pain in my neck. I can read as much as I want to with no pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want to mith moderate pain in my neck. I can read as much as I want to mith moderate pain in my neck. I can read as much as I want to mith moderate pain in my neck. I can hardly read at all. I have no headache which come infrequently. I have moderate headaches which come in	This questionnaire has been designed to give your therapist information as to how your neck pain has affected your ability to manage in every day life. Please answer every question by placing a mark on the line that best describes your condition today. We realize you may feel that two of the statements may describe your condition, but please								
The pain is very mild at the moment. The pain is moderate at the moment. The pain is fairly severe at the moment. The pain is very severe at the moment. The pain is very severe at the moment. The pain is the worst imaginable at the moment. The pain is the worst imaginable at the moment. Personal Care (Washing, Dressing, etc.) I do not have to change the way I wash and dress myself to avoid pain. I do not normally change the way I wash or dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. Lifting I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want to with slight pain in my neck. I can and a much as I want to with moderate pain in my neck. I can read as much as I want because of severe pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all because of severe pain in my neck. I have no headache at all. I have moderate headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently.	Pain Intensity								
I do not have to change the way I wash and dress myself to avoid pain. I do not normally change the way I wash or dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have severe headaches which come frequently. I have severe headaches which come frequently.	I have no pain at the moment. The pain is very mild at the moment. The pain is moderate at the moment. The pain is fairly severe at the moment The pain is very severe at the moment	- ••							
I do not have to change the way I wash and dress myself to avoid pain. I do not normally change the way I wash or dress myself even though it causes some pain. Washing and dressing increases my pain, but I can do it without changing my way of doing it. Washing and dressing increases my pain, and I find it necessary to change the way I do it. Because of my pain I am partially unable to wash and dress without help. Because of my pain I am completely unable to wash or dress without help. I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain. Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with moderate pain in my neck. I can read as much as I want with moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I can hardly read at all. I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have severe headaches which come frequently. I have severe headaches which come frequently.	Personal Care (Washing, Dressing, etc.)								
I can lift heavy weights without increased pain. I can lift heavy weights but it causes increased pain Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come frequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.	I do not have to change the way I was I do not normally change the way I was Washing and dressing increases my pa Washing and dressing increases my pa Because of my pain I am partially una	ash or dress mysel ain, but I can do it ain, and I find it no ble to wash and di	f even though it causes without changing my vecessary to change the ress without help.	way of doing it.					
I can lift heavy weights but it causes increased pain Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want with moderate pain in my neck. I can read as much as I want with moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.									
Pain prevents me from lifting heavy weights off of the floor, but I can manage if they are conveniently positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have moderate headaches which come infrequently. I have moderate headaches which come infrequently. I have severe headaches which come frequently. I have severe headaches which come frequently.									
positioned (ex. on a table, etc.). Pain prevents me from lifting heavy weights off of the floor, but I can manage light to medium weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.			loor, but I can manage	if they are conveniently					
weights if they are conveniently positioned. I can lift only very light weights. I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.	positioned (ex. on a table, etc.).	_	_						
I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.			loor, but I can manage	light to medium					
I cannot lift or carry anything at all. Reading I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.		tioned.							
I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.									
I can read as much as I want to with no pain in my neck. I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.	Dec Pro-								
I can read as much as I want to with slight pain in my neck. I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.		o nain in my neck							
I can read as much as I want with moderate pain in my neck. I can't read as much as I want because of moderate pain in my neck. I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.									
I can hardly read at all because of severe pain in my neck. I cannot read at all. Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.									
Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently. I have severe headaches which come frequently.									
Headache I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.		ere pain in my nec	k.						
I have no headache at all. I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.	I cannot read at all.								
I have slight headaches which come infrequently. I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.	Headache								
I have moderate headaches which come infrequently. I have moderate headaches which come frequently. I have severe headaches which come frequently.									
I have moderate headaches which come frequently. I have severe headaches which come frequently.									
I have severe headaches which come frequently.									
		- 1 <i>j</i> ·							

NECK DISABILITY INDEX, p. 2

Section 2 (con	<u>'t)</u> : To be complet	ed by patient									
Concentration	1										
		fully when I want to	o with no	difficult	V.						
		fully when I want to									
	I have a fair degree of difficulty in concentrating when I want to.										
	I have a lot of difficulty in concentrating when I want to.										
]	I have a great deal of difficulty in concentrating when I want to.										
	I cannot concentra	nte at all.									

Work	T 1 1	T									
	I can do as much a										
		usual work but no r ny usual work, but i									
	I can do most of n I cannot do my us	-	no more.								
	I cannot do my us I can hardly do an										
	I can hardry do an I can't do any wor	•									
<u></u> -	t cuit cue uity we	W WII.									
Driving											
		without any neck p									
		as long as I want v									
		as long as I want v									
		ar as long as I want				neck.					
	•	at all because of se	vere pair	ı ın my ne	eck.						
	I can't drive my ca	ar at all.									
Sleeping											
	I have no trouble s	sleening									
		ly disturbed (less th	an 1 hou	r sleen lo	(22						
		y disturbed (1-2 hou									
		rately disturbed (2-	•	,) <u>.</u>						
		y disturbed (3-5 ho									
		letely disturbed (5-									
Recreation											
		ge in all my recreati			_						
	I am able to engage in all my recreational activities with some pain in my neck.										
	I am able to engage in most but not all of my usual recreational activities because of pain in my neck.										
	I am able to engage in a few of my usual recreational activities because of pain in my neck.										
	I can hardly do any recreational activities because of pain in my neck. I can't do any recreational activities at all.										
	can t do any reer	cational activities a	at a11.								
							-				
Section 3: To	be completed by	physical therapist	/provide	er							
SCORE:	%	Initial	_ weeks		_ Discharge						
Number of treatment sessions: Gender: Male Female											
Diagnosis/ICD	-9 Code:										
			_								